Diagnostic requires 3 or more in the past 12 months	Yes	No
Tolerance, as defined by either of the following: a. A need for markedly increased amounts of the substance to achieve intoxication/desired effect b. Markedly diminished effect with continued use of the same amount of substance		
Possible prompt: Do you feel like you have used more opiate to feel the same effect?		
Withdrawal, as manifested by either of the following: a. Characteristic withdrawal syndrome b. The same, or similar, substance is taken to relieve or avoid withdrawal symptoms		
Possible prompt: Do you have symptoms of abdominal pain, diarrhea, nausea, muscle aches, runny nose, sweating, restlessness when you don't use?		
3. Too much, for too long : The substance is often taken in larger amounts or over a longer period of time than intended		
Possible prompt: Have you been using for longer than either you or a healthcare provider intended?		
4. Can't stop using: There is a persistent desire or unsuccessful effort to cut down or control substance use.		
Possible prompt: Have you tried quitting?		
5. Too much time spent on substance: A great deal of time is spent on activities necessary to obtain the substance, use the substance, or recover from its effects.		
Possible prompt: Do you spend a great deal of time using, geting, or thinking about getting to avoid withdrawal?		
6. Giving up activities : Important social, occupational or recreational activities are given up or lost due to substance use.		
Possible prompt: Do you miss time from work or time with family or friends?		
7. Continued use despite harm to self: Substance use is continued despite having persistent or recurrent physical or psychological problems that have been caused or exacerbated by use.		
Possible prompt: Do you continue using even though it is causing harm?		
Does the patient meet DSM-V Criteria for Diagnosis of Opiate Dependence? (3 or more of the above in the past 12 months)		